

Statement of Work

INSTALLTION PET KENNEL FENCE Osan AB, Bldg. 1304 51 FSS Osan ODR

1. **General:** The work to be performed for completion of this project shall be in general as described below and executed by the contractor.
 - 1-1. **SCOPE:** The contractor shall be responsible for furnishing all personnel, supervision, materials, tools, equipment, supplies, vehicles, and any other resources necessary to accomplish the requirements of this contract contained herein and as included in the contract specifications and drawings which form a part of this contract.
 - 1-2. **INSTALLTION:** The contractor will provide the specified material and installation to the designated areas (See attached Drawing for installation location)
2. **Technical Specifications:** Above project shall comply with specifications in awarded original contract package.
3. **Scope of Work:** This work is to procure Pet Kennel Fence B-1304.
4. **Principle work Features:** This Project is Contractor Furnished Material / Contractor Install (CFM/CI)
5. **Material:** Contractor shall provide COR with a sample of Pet Kennel Fence approval before ordering materials.
 - 5-1. **DESCRIPTION:** The work to be performed for completion of this project shall be as described in general below.
 - 5-1-1. **ZONE-** Bldg. 1304. (New Pet Kennel Area)
 - 5-1-2. Remove existing chain link fence posts partially and canopy as depicted. As shown in the Drawing.
 - 5-1-3. Perform appropriate sitework including clearing and grubbing, grading and compaction of base. Include appropriate fence posts anchoring points. As shown in the Drawing
 - 5-1-4. Install concrete cornerstones to provide the foundation for each column. As shown in the Drawing
 - 5-1-5. Install Once the foundation is complete, the steel pipe are installed vertically. As shown in the Drawing
 - 5-1-6. Install columns are installed accurately adjusted horizontally and vertically. As shown in the Drawing
 - 5-1-7. Provide 1ea personnel gate in northwest side of the fence. As shown in the Drawing

- 6. **Period of Performance:** 40 days from the date of award. 15 days for material procurement and 25 days for on-site installation. Work schedule shall be approved by Planning Flight of Osan AB.
- 7. **Place of Performance:** Bldg. 1304 at Osan AB, South Korea.
- 8. **Codes and Regulations:** All work will be done in accordance with Army, DoD, federal, Korean, safety and environmental codes and regulations.
- 9. **Site Visit:** Contractor shall examine the site and determine for themselves the existing conditions and general character of the site. Claims for additional costs due to conditions that could have been verified by site investigation will not be authorized. Contractor shall contact the COR to schedule the Site Visit. Copy of all Window Schedules has been provided to POC representative.
- 10. **Government Furnished Property (GFP) and Services:** The US Government will not provide any equipment, fuel, personnel, utilities or facilities to the contractor for the execution of this contract. Should an emergency arise, only the necessary basic lifesaving and life support measures will be provided during the emergency.

11. Work Week and Hours of Operation:

The Contractor shall provide services during normal working hours excluding federal holidays. Normal working hours are 0830- 1630, Monday through Friday, unless requirements dictate otherwise. Exceptions can be permitted by the COR upon request and at the COR’s discretion.

Following is a list of holidays observed by the Government.

<u>Name of Holiday</u>	<u>Time of Observance</u>
New Year’s Day	1 January
Martin Luther King Jr. Day	Third Monday in January
President’s Day	Third Monday in February
Memorial Day	Last Monday in May
Juneteenth	19 Jun
Independence Day	4 July
Labor Day	First Monday in September
Columbus Day	Second Monday in October
Veteran’s Day	11 November
Thanksgiving Day	Fourth Thursday in November
Christmas Day	25 December

If any of the above holidays occur on a Saturday or a Sunday, then such holiday shall be observed by the Contractor in accordance with the practice as observed by the assigned Government employees at the using activity.

12. Security and Access Requirements:

Contractor shall adhere to current installation security policies. All necessary permits, passes and other security/access requirements shall be obtained prior to commencing the applicable stage of work.

13. Safety and quality control:

- 1) Contractor personnel shall adhere to all safety regulations within US and Korean laws. All equipment brought by the contractor shall be in good working condition. Proper safety gear must be worn at all times where applicable.
- 2) Contractor shall ensure all equipment brought onto the premises shall be in good working order, safe and compliant to all Safety rules and regulation of both USFK and Korea.
- 3) Contractor will provide proper training to its employees on how to operate all equipment in a safe manner in accordance with MFG's guideline.
- 4) Contractor will ensure proper quality control to ensure all safety measurements are followed and enforced.

14. General Requirements:

- 1) Materials for this project shall meet all applicable Korean and U.S. Standards. Manufacturer's plan of installation will be submitted to the government/customer POC listed for review and approval prior to installation. Material shall all be new (no refurbished items).
- 2) Pre-final/Final inspection will be conducted upon completion of work. The United States Government will perform the inspection within 2 working days after notification by the Contractor.
- 3) The contractor shall provide a One Year Warranty of installation and provide the standard material warranty from the manufacture. Warranty should start the day of final inspection and acceptance.
- 4) The contractor shall be responsible for the protection of existing equipment, landscape, structures and surrounding facilities. Any damages shall be repaired to match conditions prior to damage at no additional cost to the government.
- 5) The contractor shall provide a contract manager who shall be responsible for the performance of the work. The contract manager shall have full authority to act in behalf of the contractor on all contract matters relating to daily operations of this contract. The contract manager shall be able to read, write, speak, and understand English
- 6) Contractor personnel shall present a neat appearance and be easily recognized as contractor employees. This may be accomplished by wearing distinctive clothing bearing the company name or by wearing appropriate badges which contain the contractor's company name and the employee's name.
- 7) Smoking is not allowed inside and within 50 feet of the entrance of any facility. The contractor or the contract manager is responsible to enforce the smoking policy for all employees engaged in the performance of this contract work.
- 8) The telephone number for Security Police, Fire Protection, Emergency Medical Service, and other emergencies is 911.
- 9) The contractor shall properly dispose of all existing parts and equipment in accordance with Korean/local laws upon completion of work.

10) The contractor shall control the dust and flying particles generated under operations to prevent creation of a nuisance to Government personnel and operations in occupied portions of the building and surrounding area.

11) The contractor shall provide a sample for approval before ordering materials.

15. Bidders or contractors must submit the following required documents.

- Business registration certificate
- Company's relevant experience for the project.
- Construction work schedule and plans meeting the requirements.

16. Points of Contact:

Primary: MUN, JUN HO, 51 FSS, jun_ho.mun.kr@us.af.mil, 784-3240, 010-4748-4746

Reviewed: BURLEIGH, CHRISTA K CIV USAF PACAF 51 FSS/FSWO christa.burleigh.1@us.af.mil 784-1181

GARCIA, DOMINIC P TSgt USAF PACAF 51 FSS/FSVS dominic.garcia.6@us.af.mil 784-8487

Specifications

1. Fence Specifications (As shown in the Drawing)

1-1. Pillars, doors, frames:

Shall be made of STK 290 or STK 400 of KS D 3566, SS 400 of KS D 3503 or equivalent material.

1-2. Expanded Metal:

Materials must be of KS D 3601 and KS D 3501 (sphc) or equivalent or higher.

1-3. Chain link wire mesh:

Should be made of KS D 7018 V grade or equivalent material.

